

The Way Forward in the UK

TrueAllele® Workshop
April, 2013
Leicestershire, United Kingdom

Mark W Perlin, PhD, MD, PhD
Cybergenetics, Pittsburgh, PA



Cybergenetics © 2003-2013

Perlin MW et al. Virginia TrueAllele® validation study: casework comparison. American Academy of Forensic Sciences 65th Annual Meeting, 2013; Washington, DC.

TrueAllele mixture validation:
Virginia case study

Establish the reliability of TrueAllele mixture interpretation

Mark W Perlin, PhD, MD, PhD
Kiersten Dörner, MS and Jennifer Hornyak, MS
Cybergenetics, Pittsburgh, PA

Lisa Schiermeier-Wood, MS and Susan Greenspoon, PhD
Department of Forensic Science, Richmond, VA


Case composition

- 72 criminal cases
- 92 evidence items
- 111 genotype comparisons


Criminal offense

- 18 homicide
- 12 robbery
- 6 sexual assault
- 20 weapon


DNA mixture distribution



Human review information



2010 guidelines: modified human review information



TrueAllele reinterpretation

The Washington Post


Virginia reevaluates DNA evidence in 375 cases

July 16, 2011

"Mixture cases are their own little nightmare," says William Vosburgh, director of the D.C. police's crime lab. "It gets really tricky in a hurry."


"If you show 10 colleagues a mixture, you will probably end up with 10 different answers"
Dr. Peter Gill, Human Identification E-Symposium, 2005

TrueAllele sensitivity




TrueAllele specificity

True exclusions, without false inclusions



TrueAllele reproducibility

Concordance in two independent computer runs



Validation results

TrueAllele® Casework DNA mixture interpretation is:

A reliable method

- sensitive
- specific
- reproducible

TrueAllele computer genotyping is
more effective than human review

TrueAllele Virginia outcomes


144 cases analyzed
72 case reports – 10 trials

City	Court	Charge	Sentence
Richmond	Federal	Weapon	50 years
Alexandria	Federal	Bank robbery	90 years
Quantico	Military	Rape	3 years
Chesapeake	State	Robbery	26 years
Arlington	State	Molestation	22 years
Richmond	State	Homicide	35 years
Fairfax	State	Abduction	33 years
Norfolk	State	Homicide	8 years
Charlottesville	State	Homicide	15 years
Hampton	State	Home invasion	5 years

TrueAllele in Virginia

- Department of Forensic Science has their own TrueAllele system
- Training, validation, approvals
- Services centralized in Richmond
- DFS will provide DNA mixture statistics and court testimony

Perlin MW, Belrose JL, Duceaman BW. New York State TrueAllele® Casework validation study. *Journal of Forensic Sciences*. 2013;58(6):in press.



TrueAllele in the United States



Casework system
Interpretation services

TrueAllele in the United Kingdom


2000: FSS & TrueAllele Databank

- first fully automated DNA expert system
- for reference samples only
- *faster*: eliminated 350,000 item backlog
- *better*: eliminated human error of 0.05%
- *cheaper*: eliminated 100 jobs

2010: PSNI & TrueAllele Casework

- match stats for complex DNA evidence
- 3-4 person DNA mixtures
- low-template & degraded DNA


DNA Pathway Restored





TrueAllele Applications

- murder
- rape
- gangs
- terror
- IEDs


- cold cases
- DVI
- property crime
- prevention







Continuous Crime Scene Mapping



TrueAllele Deployment

- in the cloud
(Cybergenetics service)
- in your station or laboratory
(Cybergenetics product)

Police Empowerment

- TrueAllele-led DNA investigation
- solve challenging DNA evidence
- train TrueAllele police personnel

- accurate DNA interpretation
- faster turnaround
- less human effort
- consistent answers

- preserve identification information
- DNA evidence within cases
- automated investigative database

Getting Started

<http://www.cybgen.com/support>



Sending Data

Cybergenetics uses the following information when processing your laboratory case data.

1. DNA process. Please give us some background information about your laboratory process, including DNA sequencer, STR kit, allelic ladder, size standards, positive and negative controls.
2. Evidence items. For each case, please list the case name, DNA items, and their amplifications. Please specify which data are of most interest to you.
3. References. Please provide known crime scene related DNA reference genotypes (e.g., victim, elimination). Such scene-related references can help infer informative genotypes from the evidence data. You can send either data or tables.
4. Suspects. Please provide suspect genotypes for comparison purposes. To ensure complete objectivity, we only use a suspect's "pattern" genotype inference, solely to compute a likelihood ratio (LR) DNA match statistic. You can send either data or tables.
5. Populations. What population databases do you use for reference? If

Moving Forward

- Send one case (no cost)
- Discuss match results
- Assess TrueAllele value
- Identify additional cases
- Determine business case
- Rent or buy technology
- Training and support



Cybergenetics

perlin@cybgen.com
